SEQ ID NO: 10 (searched SEQ ID NO: 9, but mismatched, therefore 10).

RESULT 8
HSDANSCA2
LOCUS HSDANSCA2 4163 bp mRNA PRI 09-JAN-1997
DEFINITION H.sapiens mRNA for SCA2 protein.
ACCESSION Y08262
VERSION Y08262.1 GI:1770389
KEYWORDS SCA2 gene.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 4163)
AUTHORS Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y., Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A., Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
TITLE Cloning of the gene for spinocerebellar ataxia 2 reveals a locus with high sensitivity to expanded CAG/glutamine repeats
JOURNAL Nat. Genet. 14 (3), 285-291 (1996)
MEDLINE 97051922
REFERENCE 2 (bases 1 to 4163)
AUTHORS Imbert,G.
TITLE Direct Submission
JOURNAL Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES Location/Qualifiers
source 1. .4163
/organism="Homo sapiens"
/isolate="DAN patient"
/db_xref="taxon:9606"
/cell_line="lymphoblastoid"
/clone_lib="DAN"
/dev_stage="adult"
gene 1. .2747
/gene="SCA2"
CDS <1. .2747
/gene="SCA2"
/codon_start=3
/protein_id="CAA69589.1"
/db_xref="GI:1770390"
/db_xref="SPTREMBL:Q99493"

/translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA

SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ

QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG

LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP

KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA

ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY

DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA

VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH

TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP

SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL

EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP

VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK

ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK

NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE

VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS

PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP

BASE COUNT 1136 a 1196 c 908 g 923 t
ORIGIN

Query Match 94.1%; Score 25.4; DB 9; Length 4163;
Best Local Similarity 96.3%; Pred. No. 12;
Matches 26; Conservative 0; Mismatches 1; Indels 0;
Gaps 0;

```
Qy       1 ccccttcgtcgtcctccttctcccccct 27
             ||||||||||||| |||||||||||||
Db      68 CCCCTTCGTCGTCGTCCTTCTCCCCCT 94
```

SEQ ID NO: 4

```
RESULT   1
HSDANSCA2
LOCUS       HSDANSCA2    4163 bp    mRNA            PRI       09-JAN-1997
DEFINITION  H.sapiens mRNA for SCA2 protein.
ACCESSION   Y08262
VERSION     Y08262.1  GI:1770389
KEYWORDS    SCA2 gene.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 4163)
  AUTHORS   Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y.,
            Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A.,
            Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
  TITLE     Cloning of the gene for spinocerebellar ataxia 2 reveals a locus
            with high sensitivity to expanded CAG/glutamine repeats
  JOURNAL   Nat. Genet. 14 (3), 285-291 (1996)
  MEDLINE   97051922
REFERENCE   2  (bases 1 to 4163)
  AUTHORS   Imbert,G.
  TITLE     Direct Submission
  JOURNAL   Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of
            Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES             Location/Qualifiers
     source          1. .4163
                     /organism="Homo sapiens"
                     /isolate="DAN patient"
                     /db_xref="taxon:9606"
                     /cell_line="lymphoblastoid"
                     /clone_lib="DAN"
                     /dev_stage="adult"
     gene            1. .2747
                     /gene="SCA2"
     CDS             <1. .2747
                     /gene="SCA2"
                     /codon_start=3
                     /protein_id="CAA69589.1"
                     /db_xref="GI:1770390"
                     /db_xref="SPTREMBL:Q99493"
                     /translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA
                     SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ
                     QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG
                     LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP
                     KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA
                     ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY
                     DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA
                     VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH
                     TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP
                     SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL
                     EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP
                     VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK
                     ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK
                     NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE
                     VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS
                     PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP
                     "
BASE COUNT     1136 a   1196 c    908 g    923 t
ORIGIN
```

Query Match 100.0%; Score 31; DB 9; Length 4163;
Best Local Similarity 100.0%; Pred. No. 0.65;
Matches 31; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       1 ctcggcgggcctccccgcccttcgtcgtcg 31
           |||||||||||||||||||||||||||||||
Db      51 CTCGGCGGGCCTCCCCGCCCCTTCGTCGTCG 81
```

SEQ ID NO: 5

RESULT 7
HSDANSCA2
LOCUS HSDANSCA2 4163 bp mRNA PRI 09-JAN-1997
DEFINITION H.sapiens mRNA for SCA2 protein.
ACCESSION Y08262
VERSION Y08262.1 GI:1770389
KEYWORDS SCA2 gene.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 4163)
AUTHORS Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y.,
Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A.,
Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
TITLE Cloning of the gene for spinocerebellar ataxia 2 reveals a locus
with high sensitivity to expanded CAG/glutamine repeats
JOURNAL Nat. Genet. 14 (3), 285-291 (1996)
MEDLINE 97051922
REFERENCE 2 (bases 1 to 4163)
AUTHORS Imbert,G.
TITLE Direct Submission
JOURNAL Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of
Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES Location/Qualifiers
source 1. .4163
/organism="Homo sapiens"
/isolate="DAN patient"
/db_xref="taxon:9606"
/cell_line="lymphoblastoid"
/clone_lib="DAN"
/dev_stage="adult"
gene 1. .2747
/gene="SCA2"
CDS <1. .2747
/gene="SCA2"
/codon_start=3
/protein_id="CAA69589.1"
/db_xref="GI:1770390"
/db_xref="SPTREMBL:Q99493"
/translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA
SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ
QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG
LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP
KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA
ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY
DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA
VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH
TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP
SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL
EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP
VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK
ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK
NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE
VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS
PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP
"
BASE COUNT 1136 a 1196 c 908 g 923 t
ORIGIN

Query Match 100.0%; Score 21; DB 9; Length 4163;
Best Local Similarity 100.0%; Pred. No. 29;
Matches 21; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       1 cctccccgcccccttcgtcgtc 21
           |||||||||||||||||||||
Db      60 CCTCCCCGCCCCTTCGTCGTC 80
```

SEQ ID NO: 7

```
RESULT   1
HSDANSCA2
LOCUS       HSDANSCA2    4163 bp    mRNA            PRI       09-JAN-1997
DEFINITION  H.sapiens mRNA for SCA2 protein.
ACCESSION   Y08262
VERSION     Y08262.1  GI:1770389
KEYWORDS    SCA2 gene.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 4163)
  AUTHORS   Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y.,
            Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A.,
            Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
  TITLE     Cloning of the gene for spinocerebellar ataxia 2 reveals a locus
            with high sensitivity to expanded CAG/glutamine repeats
  JOURNAL   Nat. Genet. 14 (3), 285-291 (1996)
  MEDLINE   97051922
REFERENCE   2  (bases 1 to 4163)
  AUTHORS   Imbert,G.
  TITLE     Direct Submission
  JOURNAL   Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of
            Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES             Location/Qualifiers
     source          1. .4163
                     /organism="Homo sapiens"
                     /isolate="DAN patient"
                     /db_xref="taxon:9606"
                     /cell_line="lymphoblastoid"
                     /clone_lib="DAN"
                     /dev_stage="adult"
     gene            1. .2747
                     /gene="SCA2"
     CDS             <1. .2747
                     /gene="SCA2"
                     /codon_start=3
                     /protein_id="CAA69589.1"
                     /db_xref="GI:1770390"
                     /db_xref="SPTREMBL:Q99493"
                     /translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA
                     SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ
                     QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG
                     LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP
                     KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA
                     ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY
                     DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA
                     VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH
                     TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP
                     SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL
                     EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP
                     VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK
                     ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK
                     NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE
                     VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS
                     PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP
                     "
BASE COUNT     1136 a   1196 c    908 g    923 t
ORIGIN
```

Query Match 100.0%; Score 32; DB 9; Length 4163;
Best Local Similarity 100.0%; Pred. No. 0.83;
Matches 32; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       1 cgccaacccgcgcctccccgctcggcgcccgt 32
           ||||||||||||||||||||||||||||||||
Db     121 CGCCAACCCGCGCCTCCCCGCTCGGCGCCCGT 152
```

SEQ ID NO: 8

RESULT 3
HSDANSCA2
LOCUS HSDANSCA2 4163 bp mRNA PRI 09-JAN-1997
DEFINITION H.sapiens mRNA for SCA2 protein.
ACCESSION Y08262
VERSION Y08262.1 GI:1770389
KEYWORDS SCA2 gene.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 4163)
AUTHORS Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y., Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A., Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
TITLE Cloning of the gene for spinocerebellar ataxia 2 reveals a locus with high sensitivity to expanded CAG/glutamine repeats
JOURNAL Nat. Genet. 14 (3), 285-291 (1996)
MEDLINE 97051922
REFERENCE 2 (bases 1 to 4163)
AUTHORS Imbert,G.
TITLE Direct Submission
JOURNAL Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES Location/Qualifiers
source 1. .4163
/organism="Homo sapiens"
/isolate="DAN patient"
/db_xref="taxon:9606"
/cell_line="lymphoblastoid"
/clone_lib="DAN"
/dev_stage="adult"
gene 1. .2747
/gene="SCA2"
CDS <1. .2747
/gene="SCA2"
/codon_start=3
/protein_id="CAA69589.1"
/db_xref="GI:1770390"
/db_xref="SPTREMBL:Q99493"

/translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA

SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ

QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG

LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP

KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA

ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY

DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA

VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH

TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP

SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL

EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP

VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK

ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK

NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE

VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS

PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP

BASE COUNT 1136 a 1196 c 908 g 923 t
ORIGIN

Query Match 100.0%; Score 22; DB 9; Length 4163;
Best Local Similarity 100.0%; Pred. No. 92;
Matches 22; Conservative 0; Mismatches 0; Indels 0;
Gaps 0;

```
Qy       1 gcgcctccccgctcggcgcccg 22
           |||||||||||||||||||||
Db     130 GCGCCTCCCCGCTCGGCGCCCG 151
```

SEQ ID NO: 12. (searched 11, but mismatched, therefore 12)

RESULT 8
HSDANSCA2
LOCUS HSDANSCA2 4163 bp mRNA PRI 09-JAN-1997
DEFINITION H.sapiens mRNA for SCA2 protein.
ACCESSION Y08262
VERSION Y08262.1 GI:1770389
KEYWORDS SCA2 gene.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 4163)
AUTHORS Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y., Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A., Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
TITLE Cloning of the gene for spinocerebellar ataxia 2 reveals a locus with high sensitivity to expanded CAG/glutamine repeats
JOURNAL Nat. Genet. 14 (3), 285-291 (1996)
MEDLINE 97051922
REFERENCE 2 (bases 1 to 4163)
AUTHORS Imbert,G.
TITLE Direct Submission
JOURNAL Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES Location/Qualifiers
source 1. .4163
/organism="Homo sapiens"
/isolate="DAN patient"
/db_xref="taxon:9606"
/cell_line="lymphoblastoid"
/clone_lib="DAN"
/dev_stage="adult"
gene 1. .2747
/gene="SCA2"
CDS <1. .2747
/gene="SCA2"
/codon_start=3
/protein_id="CAA69589.1"
/db_xref="GI:1770390"
/db_xref="SPTREMBL:Q99493"

/translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA

SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ

QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG

LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP

KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA

ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY

DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA

VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH

TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP

SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL

EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP

VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK

ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK

NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE

VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS

PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP

"

BASE COUNT 1136 a 1196 c 908 g 923 t

ORIGIN

Query Match 94.1%; Score 25.4; DB 9; Length 4163;
Best Local Similarity 96.3%; Pred. No. 64;
Matches 26; Conservative 0; Mismatches 1; Indels 0;
Gaps 0;

```
Qy       1 cgctcggcgcccgcgcgtccccgccgc 27
           ||||||||||||| |||||||||||||
Db     139 CGCTCGGCGCCCGTGCGTCCCCGCCGC 165
```

SEQ ID NO: 2

RESULT 1
HSDANSCA2/c
LOCUS HSDANSCA2 4163 bp mRNA PRI 09-JAN-1997
DEFINITION H.sapiens mRNA for SCA2 protein.
ACCESSION Y08262
VERSION Y08262.1 GI:1770389
KEYWORDS SCA2 gene.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 4163)
AUTHORS Imbert,G., Saudou,F., Yvert,G., Devys,D., Trottier,Y.,
Garnier,J.M., Weber,C., Mandel,J.L., Cancel,G., Abbas,N., Duerr,A.,
Didierjean,O., Stevanin,G., Agid,Y. and Brice,A.
TITLE Cloning of the gene for spinocerebellar ataxia 2 reveals a locus
with high sensitivity to expanded CAG/glutamine repeats
JOURNAL Nat. Genet. 14 (3), 285-291 (1996)
MEDLINE 97051922
REFERENCE 2 (bases 1 to 4163)
AUTHORS Imbert,G.
TITLE Direct Submission
JOURNAL Submitted (20-SEP-1996) G. Imbert, I.G.B.M.C., Departement Of
Genetics, B.P. 163, 67404 Illkirch Cedex, FRANCE
FEATURES Location/Qualifiers
source 1. .4163
/organism="Homo sapiens"
/isolate="DAN patient"
/db_xref="taxon:9606"
/cell_line="lymphoblastoid"
/clone_lib="DAN"
/dev_stage="adult"
gene 1. .2747
/gene="SCA2"
CDS <1. .2747
/gene="SCA2"
/codon_start=3
/protein_id="CAA69589.1"
/db_xref="GI:1770390"
/db_xref="SPTREMBL:Q99493"
/translation="GNGGGAFRPGSRRLLGLGGPPRPFVVVLLPLASPGAPPAAPTRA
SPLGARASPPRSGVSLARPAPGCPRPACEPVYGPLTMSLKPQQQQQQQQQQQQQQQQQ
QQQQQPPPAAANVRKPGGSGLLASPAAAPSPSSSSVSSSSATAPSSVVAATSGGGRPG
LGRGRNSNKGLPQSTISFDGIYANMRMVHILTSVVGSKCEVQVKNGGIYEGVFKTYSP
KCDLVLDAAHEKSTESSSGPKREEIMESILFKCSDFVVVQFKDMDSSYAKRDAFTDSA
ISAKVNGEHKEKDLEPWDAGELTANEELEALENDVSNGWDPNDMFRYNEENYGVVSTY
DSSLSSYTVPLERDNSEEFLKREARANQLAEEIESSAQYKARVALENDDRSEEEKYTA
VQRNSSEREGHSINTRENKYIPPGQRNREVISWGSGRQNSPRMGQPGSGSMPSRSTSH
TSDFNPNSGSDQRVVNGGVPWPSPCPSPSSRPPSRYQSGPNSLPPRAATPTRPPSRPP
SRPSRPPSHPSAHGSPAPVSTMPKRMSSEGPPRMSPKAQRHPRNHRVSAGRGSISSGL
EFVSHNPPSEAATPPVARTSPSGGTWSSVVSGVPRLSPKTHRPRSPRQNSIGNTPSGP
VLASPQAGIIPTEAVAMPIPAASPTPASPASNRAVTPSSEAKDSRLQDQRQNSPAGNK
ENIKPNETSPSFSKAENKGISPVVSEHRKQIDDLKKFKNDFRLQPSSTSESMDQLLNK
NREGEKSRDLIKDKIEPSAKDSFIENSSSNCTSGSSKPNSPSISPSILSNTEHKRGPE
VTSQGVQTSSPACKQEKDDKEEKKDAAEQVRKSTLNPNAKEFNPRSFSQPKPSTTPTS
PRPQAQPSPSMVGHQQPTPVYTQPVCFAPNMMYPVPVSPGVQYQICPNSGKTSIIRVP
"
BASE COUNT 1136 a 1196 c 908 g 923 t
ORIGIN

Query Match 100.0%; Score 20; DB 9; Length 4163;
Best Local Similarity 100.0%; Pred. No. 78;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```
Qy       1 gtggccgaggacgaggagac 20
           ||||||||||||||||||||
Db     433 GTGGCCGAGGACGAGGAGAC 414
```